

Huntsmans Standard dense 7N blocks are made at our Naunton quarry using natural and recycled material. Available in standard and paint grade texture they come banded horizontally in packs of 72 blocks. ie 7.2 metres.

Deliveries on pallets if requested and small quantities available ex works.

Also available are; "coursing bricks" made from the same material, These reduce the need for cutting blocks on site saving time and waste.

Quions made exclusively from our light coloured dust used in the manufacture of Atlas walling. These fine grained cotswold coloured blocks to masonry standards are suitable for use as a cheaper alternative to expensive quions.

BS EN 771-3 Category 1 Aggregate Concrete Masonry units 100 mm Solid	
Category I, Aggregate concrete masonry unit	440 * 100 * 215 mm
Dimension Dimension tolerance	440 mm by 100 mm by 215 mm Category D1
Flatness	Less than 2 mm
Plane parallelism	NPD
Configuration	440 * 100*215 mm solid block
Compressive strength – Characteristic	7.3 N/mm2
Dimensional stability Moisture movement	NPD
Shear Bond strength –declared value BS 988 append. C	0.15 N/mm2
Reaction to Fire	NPD
Water Absorption	NPD
Water vapour diffusion coeff.	NPD
Mean Dry Density	1770 Kg/m3
Equivalent Thermal conductivity declared value (exposed)	0.96 W/mK
Durability	See BS 5628: Table 12



Dense block pack



Scale of coursing brick



Dense block stock yard

Huntsmans Quarries Ltd
Buckle Street
Naunton
Cheltenham
Gloucestershire
GL54 3BA

Tel: 01451 850555
Fax: 01451 850670
Email: sales@huntsmansquarries.co.uk
Web: www.huntsmansquarries.co.uk